

Question Bank (G scheme)

Name of subject: ADVANCED JAVA PROGRAMMING

Unit Test: II

Subject Code: 17625

Course: CM6G/IF

Semester: VI

3. Networking and Security

Q. 1 A set of rules that governs data communication:

- (a) Protocols
- (b) Standards
- (c) RFCs
- (d) Functions

Q. 2 Which of this class is used to create servers that listen for either local or remote client programs?

- (a) HttpServer
- (b) MimeHeader
- (c) HttpResponse
- (d) ServerSockets

Q. 3 A _____ is a program providing services to the _____ program.

- (a) Server, Client
- (b) Client, Server
- (d) Host, Client
- (c) Server, Server

Q. 4 _____ server can process multiple requests at a time.

- (a) An iterative
- (b) A concurrent
- (c) A concurrent or an iterative
- (d) None of these

Q.5 Network programming needs information to be in the form of -----_byte order.

- (a) host
- (b) network
- (c) client
- (d) server

Q. 6 Communication using TCP protocol is -----

- (a) connectionless, iterative
- (b) connectionless, concurrent
- (c) connection-oriented, iterative

(d) connection-oriented, concurrent

Q. 7 Communication using UDP protocol is -----and-----.

- (a) connectionless, iterative
- (b) connectionless, concurrent
- (c) connection-oriented, iterative
- (d) connection-oriented, concurrent

Q. 8 ----- is a server that is mediator between real web server and client application.

- (a) Host
- (b) HTTP
- (c) Proxy
- (d) Web

Q. 9 SOCK_STREAM sockets are used by ----- processes.

- (a) TCP
- (b) UDP
- (c) SCTP
- (d) FTP

Q. 10 SOCK_DGRAM sockets are used by ----- processes.

- (a) TCP
- (b) UDP
- (c) SCTP
- (d) FTP

Q. 11 Which package contains classes and interfaces for networking?

- (a) java.io
- (b) java.util
- (c) java.net
- (d) java.network

Q. 12 Port number of Telnet is ___ .

- (a) 21
- (b) 23
- (d) 79
- (c) 25

Q. 13 java.net package consist of interface ___ .

- (a) ContentHandler Factory.
- (b) SocketImplfactory
- (c) SocketOption
- (d) All of above

Q.14 ___ is a protocol for breaking and sending packets to an address across a network?

- (a) TCPIIP
- (c) Socket

Q.15 Full form ofDNS is

- (a) Data Network Service
- (b) Data Name Service
- (c) Domain Network Service

(d) Domain Name System

Q. 16 TCP is ----- oriented protocol.

- (a) stream
- (b) message
- (c) block
- (d) segment

Q.17 What is the output of this program?

```
1. import java.net.*;
2. class networking {
3.     public static void main(String[] args) throws UnknownHostException{
4.         InetAddress obj1 =InetAddress.getByName("sanfoundary.com");
5.         InetAddress obj2 =InetAddress.getByName("sanfoundary.com");
6.         boolean x = obj1.equals(obj2);
7.         System.out.print(x);
8.     }
9. }
```

- a) 0
- b) 1
- c) true
- d) false

Q.18 What is the output of this program?

```
1. import java.net.*;
2. class networking {
3.     public static void main(String[] args) throws UnknownHostException{
4.         InetAddress obj1 =InetAddress.getByName("cisco.com");
5.         InetAddress obj2 =InetAddress.getByName("sanfoundary.com");
6.         boolean x = obj1.equals(obj2);
7.         System.out.print(x);
8.     }
9. }
```

- a) 0
- b) 1

- c) true
- d) false

Q.19. What is the output of this program?

```
1. importjava.net.*;
2. class networking {
3. publicstaticvoid main(String[]args)throwsUnknownHostException{
4. InetAddress obj1 =InetAddress.getByName("cisco.com");
5. System.out.print(obj1.getHostName());
6. }
7. }
```

- a) cisco
- b) cisco.com
- c) www.cisco.com
- d) None of the mentioned

Q.20. What is the output of this program?

```
1. importjava.net.*;
2. class networking {
3. publicstaticvoid main(String[]args)throwsException{
4. URLobj=newURL("http://www.sanfoundry.com/javamcq");
5. URLConnection obj1 =obj.openConnection();
6. System.out.print(obj1.getContentType());
7. }
8. }
```

Note: Host URL is written in html and simple text.

- a) html
- b) text
- c) html/text
- d) text/html

Q.21. What is the output of this program?

```
1. importjava.net.*;
```

```
2. class networking {
3. publicstaticvoid main(String[]args)throwsMalformedURLException{
4. URLobj=newURL("http://www.sanfoundry.com/javamcq");
5. System.out.print(obj.toExternalForm());
6. }
7. }
```

- a) sanfoundry
- b) sanfoundry.com
- c) www.sanfoundry.com
- d) http://www.sanfoundry.com/javamcq

Q.22.What is the output of this program?

```
1. importjava.net.*;
2. class networking {
3. publicstaticvoid main(String[]args)throwsMalformedURLException{
4. URLobj=newURL("http://www.sanfoundry.com/javamcq");
5. System.out.print(obj.getProtocol());
6. }
7. }
```

- a) http
- b) https
- c) www
- d) com

Q.23. What is the output of this program?

```
1. importjava.net.*;
2. class networking {
3. publicstaticvoid main(String[]args)throwsMalformedURLException{
4. URLobj=newURL("http://www.sanfoundry.com/javamcq");
5. System.out.print(obj.getPort());
6. }
7. }
```

- a) 1
- b) 0

- c) -1
- d) garbage value

Q. 24 Exception is thrown by URL class's constructors is __ .
(a) URLNotFound
(b) URLSourceNotFound
(c) MalformedURLException
(d) URLException

Ans.: (c)

Q. 25 Which method is used to know the full URL of an URL object?

- (a) fullHostURLO
- (b) getHostURLO
- (c) ExternalFormO
- (d) toExternalFormO

Q. 26 Which class is used to access actual bits or content information of a URL ?

- (a) URL
- (c) URLConnection
- (b) URLDecoder
- (d) All of the mentioned

Q. 27 __ thrown to indicate that the IP address of a host could not be determined.

- (a) UnknownHostException
- (b) IOException
- (c) HostNotFoundException
- (d) None of these

Q. 28 What are the types of factory pattern ?

- (a) Factory Method
- (b) Abstract Method
- (c) All of the above
- (d) None of the above

Q. 29 Which class has only one instance?

- (a) Adaptor Class
- (b) Singleton Class
- (c) Factory class
- (d) Proxy Class

Q. 30 A __ variable is shared by all instances of the class. It exists even before an object is created.

- (a) abstract
- (b) instance
- (c) interface
- (d) static

Q. 31 __ is wrapper around everything associated with a reply from an http server?

- (a) HTTP
- (b) HttpResponse
- (c) Httpserver
- (d) httpserver

Q. 32 ___ is a bundle of information passed between machines.

- (a) Protocol
- (b) Cache
- (c) Datagrams
- (d) Segment

Q. 33 ___ class is necessary to implement datagrams.

- (a) DatagramPacket
- (b) DatagramSocket
- (c) Datagram
- (d) Both (a) and (b)

Q. 34 ___ method of DatagramPacket is used to find the port number.

- (a) portO
- (c) GetPortO
- (b) getPortO
- (d) findPortO

Q. 35 Which of these transfer protocol must be used so that URL can be accessed by URLConnectionclass object?

- (a) http
- (b) https
- (c) URL
- (d) None of the mentioned

Q.36 ___ method is used to know when URL is last modified.

- (a) LastModifiedO
- (c) getlastModifiedO
- (b) getLastModifiedO
- (d) GetLastModifiedO

Q. 37 ___ method is used to know the type of content used in theURL.

- (a) ContenttypeO
- (b) contentTypeO
- (c) getContenttypeO
- (d) GetContentTypeO

Q. 38 Which package is used for handling security related issues in a program ?

- (a) java.security
- (b) java.lang.security
- (c) java.awt.image
- (d) java.io.security

- Q. 39 Class which allows us to get real time data about private and protected member of a class is __ .
- (a) java.io.security
 - (b) java.GetInformation
 - (c) ReflectPermission
 - (d) MembersPermission
- Q. 40 The packages contain classes and interfaces used for input and output operations of a program is __ .
- (a) java.util
 - (b) java.lang
 - (c) java.io
 - (d) java.file.io
- Q. 41 __ class is not a member class of java.io package.
- (a) File
 - (b) StringReader
 - (c) Writer
 - (d) String
- Q. 48 To return the currently installed policy object __ method is used.
- (a) public Policy getPolicyO
 - (b) public static Policy GetPolicyO
 - (c) public Policy getPolicyO
 - (d) public static Policy getPolicyO
- Q.49 A _____ is responsible for determining whether code executing in the Java runtime environment has permission to perform a security-sensitive operation.
- (a) security object
 - (b) security class
 - (c) policy object
 - (d) policy method
- Q.50 Permission class is a part of _____ package.
- (a) java.security
 - (b) java.lang.Object
 - (c) java.permission.security
 - (d) java.security.Permission
- Q. 51 Which of following are sub classes of permission class?
- (a) AllPermission
 - (b) FilePermission
 - (c) ServicePermission
 - (d) All ofthe above
- Q.52 What is the output of this program?


```
1. importjava.net.*;
2. class networking {
3. publicstaticvoid main(String[]args)throwsMalformedURLException{
4. URLobj=newURL("http://www.sanfoundry.com/javamcq");
5. System.out.print(obj.getHost());
6. }
7. }
```

- a) sanfoundry
- b) sanfoundry.com
- c) www.sanfoundry.com
- d) <http://www.sanfoundry.com/javamcq>

Q.53. What is the output of this program?

```
1. importjava.net.*;
2. class networking {
3. publicstaticvoid main(String[]args)throwsMalformedURLException{
4. URLobj=newURL("http://www.sanfoundry.com/javamcq");
5. System.out.print(obj.toExternalForm());
6. }
7. }
```

- a) sanfoundry
- b) sanfoundry.com
- c) www.sanfoundry.com
- d) <http://www.sanfoundry.com/javamcq>

4. Interacting with Database

Q.1. Which of the following statements loads the JDBC-ODBC driver?

- A. `Class.forName(sun.jdbc.odbc.JdbcOdbcDriver)`
- B. `Class.forName("sun.jdbc.odbc.JdbcOdbcDriver")`
- C. `Class.loadClass(sun.jdbc.odbc.JdbcOdbcDriver)`
- D. `Class.loadClass("sun.jdbc.odbc.JdbcOdbcDriver")`

Q.2. Where is `com.mysql.jdbc.Driver` located?

- A. in the standard Java library bundled with JDK
- B. in a JAR file `mysqljdbc.jar` downloadable from the book's Companion Website
- C. in a JAR file `classes12.jar` downloadable from the book's Companion Website
- D. in a JAR file `ojdbc14.jar` downloadable from the book's Companion Website

Q.3. To execute a SELECT statement `"select * from Address"` on a Statement object `stmt`, use

- A. `stmt.execute("select * from Address");`
- B. `stmt.executeQuery("select * from Address");`**
- C. `stmt.executeUpdate("select * from Address");`
- D. `stmt.query("select * from Address");`

Q. 4 Which of the following function is used to find the column count of the particular resultset ?

- (a) getMetaDataO
- (b) simple
- (c) getColumnCountO
- (d) parameterized

Q. 5 PreparedStatement object in JDBC is used to execute _____ queries.

- (a) executable
- (c) high level

Q.6 In JDBC _____ imports all Java classes concerned with database connectivity.

- (a) javax.sql.*
- (b) java.mysql.*
- (c) java.sql.*
- (d) com.*

Q. 7 Which type of driver converts JDBC calls into the network protocol used by the database management system directly?

- (a) Type 1 driver
- (b) Type 2 driver
- (c) Type 3 driver
- (d) Type 4 driver

Q. 8 How can you retrieve information from a ResultSet ?

- (a) By invoking the method getC .. , String type)on the ResultSet, where type is the database type
- (b) By invoking the method gett. .. , Type type)on the ResultSet, where Type is an object which represents a database type
- (c) By invoking the method getValueC ..), and cast the result to the desired Java type.
- (d) By invoking the special getter methods on the ResultSet : getStringC ..),getBoolean C ..), getClob(. ..), ..

Q. 9 Are ResultSets updateable ?

- (a) Yes, but only if you call the method openCursorO on the ResultSet, and if the driver and database support this option
- (b) Yes, but only if you indicate a concurrency strategy when executing the statement, and if the driver and database support this option
- (c) Yes, but only if the ResultSet is an object of class UpdateableResultSet, and if the driver and database

support this option

- (d) No, ResultSets are never updateable. You must explicitly execute DML statements (i.e. insert, delete and update) to change the data in the underlying database.

Q. 10 What is JDBC ?

- (a) java compiler (b) Java API
(c) Java interpreter (d) Both (a) and (b)

Q. 11 JDBC is a _____ interface, which means that it is used to invoke SQL commands directly

- (a) low-level (b) middle-level
(c) higher-level (d) user

Q. 12 Kind of driver converts JDBC calls on the client API for Oracle, Sybase, Informix, DB2, or other DBMS is known as, _____

- (a) JDBC-Net pure Java driver
(b) JDBC-ODBC Bridge plus ODBC driver
(c) Native-API partly-Java driver
(d) Both (a) and (b)

Q. 13 The JDBC-ODBC bridge is _____

- (a) Multithreaded (b) Singlethreaded
(c) Both of above (d) None of above

Q.14 The JDBC-ODBC bridge allows _____ to be used as

- (a) JDBC drivers, ODBC drivers
(b) Drivers, Application
(c) ODBC drivers, JDBC drivers
(d) Application, drivers

Q. 15 How many JDBC driver types does Sun define?

- (a) One (b) Two (c) Three (d) Four

Q. 16 Which JDBC driver Type(s) can be used in either applet or servlet code?

- (a) Both Type 1 and Type 2
(b) Both Type 1 and Type 3
(c) Both Type 3 and Type 4

(d) Type 4 only

Q. 17 What MySQL property is used to create a surrogate key in MySQL?

- (a) UNIQUE
- (b) SEQUENCE
- (c) AUTO_INCREMENT
- (d) None of the mentioned

Q. 18 ODBC minimum SQL grammar contains _____

- (a) INSERT, UPDATE, DELETE only
- (b) Stored procedure
- (c) date, time and timestamp only
- (d) CREATE and DROP VIEW only

Q. 19 Type 1 driver is also known as _____

- (a) JDBC-Native API
- (b) JDBC-ODBC Bridge Driver
- (c) JDBC-net pure java
- (d) None of these

Q. 20 ODBC requires configuring as _____ which represents the target database.

- (a) Data Source Name
- (b) Domain Name
- (c) Data source
- (d) Source name

Q. 21 Type 2 driver is also known as _____

- (a) JDBC-Native API
- (b) JDBC-ODBC Bridge Driver
- (c) JDBC-net pure java
- (d) None of these

Q. 22 _____ calls get converted into native C or C++ API calls.

- (a) API
- (b) JDBC
- (c) JDBC API
- (d) None of these

Q. 23 Which of the following translates the socket information in call format required by the DBMS?

- (a) Application server
- (b) Middleware application server
- (c) Server
- (d) Middleware

Q. 24 The JDBC API is an application interface of java for connecting java as _____

- (a) Front End
- (c) Backend

Q.25 Analyze the following code:

```
ResultSet resultSet = statement.executeQuery
```

```
("select firstName, mi, lastName from Student where lastName " + " = 'Smith');
```

```
System.out.println(resultSet.getString(1));
```

- A. If the SQL SELECT statement returns no result, resultSet is null.
- B. The program will have a runtime error, because the cursor in resultSet does not point to a row. You must use resultSet.next() to move the cursor to the first row in the result set. Subsequently, resultSet.next() moves the cursor to the next row in the result set.
- C. resultSet.getString(1) returns the firstName field in the result set.
- D. resultSet.getString(1) returns the mi field in the result set.

Q. 26 Which of the following model is java applet or application directly Communicates with data source?

- (a) Three tier
- (b) N-tier
- (c) Two tier
- (d) None of these

Q. 27 The type of the network can be _____

- (a) an intranet
- (b) an extranet
- (c) LAN
- (d) none of these

Q. 28 _____ interface is important from java.sql package in JDBC.

- (a) Statement
- (b) Result
- (c) Connection
- (d) None of these

Q. 29 Connection interface helps by providing the different methods for----- and -----

- (a) Transactions
- (b) Connection
- (c) Error handling
- (d) Both (a) and (b) •

Q. 30 Which of the following class is used for establishing connection ?

- (a) Driver manager
- (c) Statement

Q. 31 JDBC driver manager is known as the _____ of the JDBC architecture.

- (a) front end (b) middle layer
- (c) backbone (d) None of these

Q. 32 Every driver must provide a class that should implement the _____

- (a) Driver interface
- (c) Driver class

Q. 33 Which of the following method is used to load and register driver?

- (a) Class.forName("sun.odbc.jdbc.JdbcOdbcDriver")
- (b) Class.forName("sun.jdbc.odbc.JdbcOdbcDriver")
- (c) Class.forName("sun.jdbc.odbc.JdbcOdbcDriver")
- (d) Class.forName("sun.jdbc.odbc")

Q. 34 Which of the following is used for sending SQL statements?

- (a) Statement (b) Callable statement
- (c) Both (a) and (b) (d) None of these

Q. 35 Which of the following is used for calling procedures on database?

- (a) Statement (b) Callable statement
- (c) Prepared statement (d) None of these

Q. 36 _____ interface allows storing results of query ?

- (a) Statement (b) Connection
- (c) Resultset (d) None of these

Q.37 getUsernameO method is used to _____

- (a) retrieve name of user (b) retrieve name
- (c) access name (d) None of these

Q. 38 Which of the following query is used for SELECT query ?

- (a) executeO; (b) execute(String sql);
- (c) executeUpdate(String sql); (d) executeQuery(String sql);

Q.39 What is the return value from

`stmt.executeUpdate("insert into T values (100, 'Smith')")`

- A. void
- B. an int value indicating how many rows are effected from the invocation
- C. a value indicating whether the SQL statement has been executed successfully
- D. an object that contains the status of the execution

Q.40 Suppose a prepared statement is created as follows:

```
Statement preparedStatement = connection.prepareStatement  
("insert into Student (firstName, mi, lastName) " +  
"values (?, ?, ?)");
```

To set a value John to the first parameter, use

- A. `preparedStatement.setString(0, "John");`
- B. `preparedStatement.setString(1, "John");`
- C. `preparedStatement.setString(0, 'John');`
- D. `preparedStatement.setString(1, 'John');`

Q.41 How can you retrieve information from a ResultSet?

- a) By invoking the method `get(..., String type)` on the ResultSet, where type is the database type
- b) By invoking the method `get(..., Type type)` on the ResultSet, where Type is an object which represents a database type
- c) By invoking the method `getValue(...)`, and cast the result to the desired Java type.

d) By invoking the special getter methods on the ResultSet: getString(...), getBoolean (...), getClob(...),...

Q.42 How can you execute DML statements (i.e. insert, delete, update) in the database?

a) By making use of the InsertStatement, DeleteStatement or UpdateStatement classes

b) By invoking the execute(...) or executeUpdate(...) method of a normal Statement object or a sub-interface object thereof

c) By invoking the executeInsert(...), executeDelete(...) or executeUpdate(...) methods of the DataModificationStatement object

d) By making use of the execute(...) statement of the DataModificationStatement object

Q.43 How do you know in your Java program that a SQL warning is generated as a result of executing a SQL statement in the database?

a) You must catch the checked SQLException which is thrown by the method which executes the statement

b) You must catch the unchecked SQLWarningException which is thrown by the method which executes the statement

c) You must invoke the getWarnings() method on the Statement object (or a sub interface thereof)

d) You must query the ResultSet object about possible warnings generated by the database

Q.44 To create a statement on a Connection object conn, use

A. Statement statement = conn.statement();

B. Statement statement = Connection.createStatement();

C. Statement statement = conn.createStatement();

D. Statement statement = connection.create();

Q.45 To execute a SELECT statement "select * from Address" on a Statement object stmt, use

A. stmt.execute("select * from Address");

B. stmt.executeQuery("select * from Address");

C. `stmt.executeUpdate("select * from Address");`

D. `stmt.query("select * from Address");`

5. Servlets and JSP

Q. 1 What JSP stand for ___ .

- (a) Java Server Pages
- (b) Java Server Programming
- (c) Java Service Pages
- (d) Java Service Programming

Q. 2 The Java _____ specification defines an application programming interface for communication between the Web server and the application program.

- (a) Server
- (b) Servlet
- (c) Program
- (d) Randomize

Q. 3 The `doGetO` method extracts values of the parameter's type and number by using _____

- (a) `request.getParameterO`
- (b) `request.setParameterO`
- (c) `response.getParameter()`
- (d) `response.getAttributeO`

Q. 4 When a JSP page is compiled, it turns into what?

- (a) Applet
- (b) Servlet
- (c) Application
- (d) Maillet

Q.5 What programming language(s) or scripting language(s) does Java Server Pages (JSP) support?

- (a) VBScript only
- (b) Jscript only

- (c) Java (d) None of the above.

Q. 6 What is byte code?

- (a) Machine-specific code
(b) Java code
(c) Machine-independent code
(d) None of the above is correct

Q. 7 Where is metadata stored ?

- (a) In the MySQL database metadata
(b) In the MySQL database metasql
(c) In the MySQL database mysql
(d) None of the mentioned

Q. 8 Which of the following is not true for servlet ?

- (a) It is persistent (b) Platform independent
(c) High performance (d) It is multi threaded
(e) It is single threaded.

Q. 9 Which JSP tag is used to transfer processing to another JSP page?

- (a) <jsp:include> (b) <jsp:forward>
(c) <jsp:redirect> (d) <jsp:useBean>
(e) <jsp:use:include>. I-

Q. 10 Which of the following is an approach for state maintenance in Web applications?

- (a) Hidden Form Field (b) URL Rewriting
(c) Cookies (d) HTTP Session
(e) All of the above.

Q. 11 Which is least visibility scope for Java bean in JSP ?

- (a) Page (b) Session
(c) Request (d) Application
(e) Global.

Q. 12 Which of the following is/are true for JSP technology ?

- I. It is persistent.
II. Platform independent.
III. Browser executes the code.
(a) Only (I) above (b) Only (II) above
(c) Both (I) and (II) above (d) Both (II) and (III) above
(e) All (I), (II) and (III) above.

Q. 13 Which method of the request object is used to extract values of the input fields in a form when it is submitted?

- (a) getParameter (b) getParameterNames
- (c) getValues (d) putValues
- (e) getParameters.

Q.14 Which of the following is not a standard method called as part of the JSP life cycle?

- (a) jspInitO (b) jspServiceO
- (c) jspServiceO (d) jspDestroy()

Q. 15 If you want to override a JSP file's initialization method, within what type of tags must you declare the method ?

- (a) <@@> (b) <o/o@ %>
- (c) <% %> (d) <%! %>

Q.16 Which of the following cannot be used as the scope when using a JavaBean with JSP ?

- (a) Application (b) Session
- (c) Request (d) Response
- (e) Page

Q. 17 What JSP is basically used today?

- (a) To make controller (b) To develop server pages
- (c) In writing business logic (d) Deprecated
- (d) None

Q. 18 Choose correct scopes into JSP :

- (a) page, request, session, application
- (b) Page, response, session, application
- (c) Page, request, response, session
- (d) None

Q.19 Choose correct syntax of directive:

- (a) <o/o@ directive_name %>
- (b) <% directive_name %>
- (c) <o/o@ directive_name @%>
- (d) None

Q. 20 Which of the following are interface?

1. ServletContext
2. Servlet
3. GenericServlet
4. HttpServlet

- (a) All (1), (2), (3) and (4)
- (c) Only (1), (3) and (4)
- (b) Only (1) and (2)
- (d) Only (1) and (4)

Q. 21 Which of the following methods are main methods in life cycle of servlet?

- 1. initO 2. serviceO
- 3. destroyO 4. stop()
- 5. waitO

- (a) All (1), (2), (3), (4) and (5)
- (c) Only (3), (4) and (5)
- (b) Only (1), (2) and (3)
- (d) Only (1), (4) and (5)

Q. 22 During initialization of servlet, a servlet instance can throw __ .

- (a) An UnavailableException (b) A ServletException
- (c) Both (a) and (b) (d) None

Q.23 Java servlets are efficient and powerful solution for creating __ for the web.

- (a) dynamic content (b) static content
- (c) hardware (d) both (a) and (b)

Q. 24 __ is the first phase of the servlet life cycle.

- (a) Initialization (b) Service
- (c) Destruction (d) Both (a) and (b)

Q. 25 The service phase of the servlet life cycle represents a interactions with requests until the servlet is __ o

- (a) created (b) running
- (c) initiated (d) destroyed

Q. 26 The difference between Servlets and JSP is the __ o

- (a) translation (b) compilation
- (c) syntax (d) both (a) and (b)

Q.27 Which of the following statements are true?

A. Static information is preprocessed and stored in a file. The information in the files can be updated, but at any given time every request for the same document returns exactly the same result.

B. Dynamic information is not stored in a file. It is generated dynamically and sent directly to the client.

C. Common GateWay Interface provides a standard framework for Web servers to interact with external programs, known as CGI programs.

D. CGI programs are all written in Perl.

Q.28. The GET and POST methods are specified in _____.

A. a CGI program

B. a Java program

C. an HTML form

D. a URL string

Q.29 Which of the following statements are true?

A. When issuing a request from an HTML form, either a GET method or a POST method can be used. The form explicitly specifies which of the two is used.

B. If the GET method is used, the data in the form are appended to the request string as if they were submitted using a URL.

C. If the POST method is used, the data in the form are packaged as part of the request file. The server program obtains the data by reading the file.

D. The POST method always triggers the execution of the corresponding CGI program. The GET method may not cause the CGI program to be executed if the previous same request is cached in the Web browser.

E. All of Above

Q.30 The _____ method ensures that a new Web page is generated.

A. GET

B. POST

C. DELETE

D. UPDATE

Q.31 If your request is not time-sensitive, such as finding the address of a student in the database, use the _____ method to speed up the performance.

A. GET

B. POST

C. DELETE

D. UPDATE

Q.32 Java servlets are better than the CGI programs because _____.

A. Servlets are written in Java while CGI programs are written in Perl or other languages. you can develop servlets with the support of Java API for accessing databases and network resources.

B. Servlets are dynamically executed.

C. For each CGI execution, the Web browser spawns a new process to execute a CGI program. However, all servlets are executed within the servlet engine. Each execution of a servlet is handled as a thread by the servlet engine. So, servlets runs faster than CGI programs.

D. Servlet programs can run on any Web server.

Q.33 Apache Tomcat is a _____.

A. Servlet

B. Java program

C. Web server

D. Web server that is capable of running Java programs.

Q.34 A servlet is an instance of _____.

A. the Object class

- B. the Applet class
- C. the HttpServlet class
- D. the HTTPServlet class

Q.35 JSP stands for

- A) Java server Pages
- B) Java server Programming
- C) Java Server Process
- D) Java Socket Programming

Q.36 JSP includes a mechanism for defining or custom tags.

- A) static attributes
- B) local attributes
- C) dynamic attributes
- D) global attributes

Q.37 JSP containers are required to support different formats of JSP syntax.

- A) Two
- B) Three
- C) Four
- D) Only One

Q.38. The difference between Servlets and JSP is the

- A) translation
- B) compilation
- C) syntax

D) Both A and B

Q.39. A JSP file ends with _____.

- A. .java extension
- B. .html extension
- C. .shtml extension
- D. .jsp extension

Q.40. You can run JSP from _____.

- A. any Web server.
- B. any JVM.
- C. any Web server that supports Java servlet and JSP.
- D. any Web browser.

Q.41. Which of the following statements are true?

- A. JSP is translated into Java servlet by a Web server when a JSP is called.
- B. JSP is translated into HTML by a Web server when a JSP is called.
- C. JSP is translated into XML by a Web server when a JSP is called.
- D. You can embed Java code in JSP.

Q.42. _____ is a JSP expression.

- A. `<%= i %>`
- B. `<%= Math.pow(2, 3) %>`
- C. `<%= new Date().toString() %>`
- D. All of above

Q.43. _____ is a JSP scriptlet.

A. `<%= i %>`

B. `<%= Math.pow(2, 3) %>`

C. `<%! private long computeFactorial(int n) { if (n == 0) return 1; else return n * computeFactorial(n - 1); } %>`

D. `<% for (inti = 0; i<= 10; i++) { %>`

E. `<!-- HTML Comment --%>`

Q.44. _____ is a JSP declaration.

A. `<%= i %>`

B. `<%= Math.pow(2, 3) %>`

C. `<%! private long computeFactorial(int n) { if (n == 0) return 1; else return n * computeFactorial(n - 1); } %>`

D. `<% for (inti = 0; i<= 10; i++) { %>`

E. `<!-- HTML Comment -->`

Q.45. _____ is a JSP comment.

A. `<%= i %>`

B. `<%-- i--%>`

C. `<%! private long computeFactorial(int n) { if (n == 0) return 1; else return n * computeFactorial(n - 1); } %>`

D. `<% for (inti = 0; i<= 10; i++) { %>`

E. `<!-- HTML Comment -->`

Q.46. Which of the following is a JSP implicit object?

A. request

B. response

C. out

D. session

E. all.

Q.47. The JSP explicit object out is actually _____.

A. response.getOutputStream()

B. response.getWriter()

C. request.getOutputStream()

D. request.getWriter()

E. application

Q.48. _____ is a statement that gives the JSP engine information about the JSP page.

A. A JSP implicit object

B. A JSP scriptlet

C. A JSP expression

D. A JSP directive

Q.49. The _____ directive lets you provide information for the page, such as importing classes and setting up content type. The page directive can appear anywhere in the JSP file.

A. page

B. include

C. tablib

D. import

Q.50. In RequestDispatcher which method is used to send the same request and response objects to another servlet?

- A) forward()
- B) sendRedirect()
- C) Both A & B
- D) None of the above

Q.51. Which cookie it is valid for single session only; it is removed each time when user closes the browser?

- A) Persistent cookie
- B) Non-persistent cookie
- C) Both A & B
- D) None of the above